



**Zhongshan City Ousheng Electrical Appliances,CO.LTD**

Address: No.2 Xingye South Road, Nantou Town, Zhongshan City, China  
Tel: 0086-760-2312-2556  
Website: <http://www.zsousheng.com>  
Alibaba website: <https://gdzsousheng.en.alibaba.com>

**ousheng**  
Zhongshan City Ousheng  
Electrical Appliances,CO.LTD



**8** Years professional manufacturer of  
electric kettle toaster,air fryer etc appliances  
**Professional OEM&ODM**  
One-step purchasing platform



## INTRODUCTION

### About Us

We, Zhongshan City Ousheng Electrical Appliances, Co.Ltd, was founded in 2017, located at Zhongshan City, Guangzhou Province. We are professional SDA products manufacturer, such as electric kettle, Electric toaster, Air fryer, etc. The factory is facilitated with metal and injection work shop, with total employment over 120 people; with self-developed tooling and R&D capability. The factory is BSCI/KC, PSE audited and qualified with ISO2001 certification. Our yearly productivity can reach 600,000-1,000,000 units for SDA products; Annual sales revenue: 2.5 million USD in 2020, 3.7 million USD in 2023. All of factory's products, have been certified with CB/CE/GS/EMC/KC/REACH certification.

**Our main markets:** South&East Asian markets, UK markets, European markets, and south & north America markets, etc.

**Our objectives:** Customer first, Quality first, Efficiency first.

**Our company culture:** Commitment to partners, take responsibilities, win-win together.


Over 8 years history 20 millions end use

RoHS






### Year Selling Status



### Overseas Market Breaking Down Chart (Market Ratio of 2024)



Our main markets:  
Taiwan, Korea, Japan, Europe, South & North American countries, etc.

Zhongshan **ousheng**

Electric

Factory Events

8 YEARS Professional manufacturer



Latin American Electronics International Trade Show



Canton Fair



Canton Fair

# Breakfast set Collection

## Part One Toaster and Kettle



### Description

- 4-slice production working with a breaded set
- 4 kinds of toast are available
- Two slice toaster and 10s slice toaster are available
- 400 stainless steel body and the hotboard is brushed
- Removable crumb tray is for easy cleaning
- Toaster has 6 control/temperature/3 function
- 1800 for power window
- 1.8 liter 1800 ml and low up function



### ZOS-BRS1216

Toaster: Body Material: Front Housing 430SS  
Side Panel: Galvanized sheet with color painted  
Electric kettle: Body material:304 food grade stainless steel  
Temperature controller: Chinese or British controllers



### ZOS-BRS0116

Toaster: Body Material: Front Housing 430SS  
Side Panel: Galvanized sheet with color painted  
Electric kettle: Body material:304 food grade stainless steel  
Temperature controller: Chinese or British controllers



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-T502	4 Slices toaster	-	100V/120V/230V	700-815W
ZOS-1216D	Electric kettle	1.7 liter	100V/120V/230V	1850-2200W
ZOS-T501	2 Slices toaster	-	100V/120V/230V	700-800W
ZOS-0116	Electric kettle	1.7 liter	220-240V	1850-2200W



**ZOS-BRS0110 Series breakfast set**

**2 Slices Electric Toaster:**  
 Body Material: Front Housing 430SS  
 Side Panel: Galvanized sheet with color painted  
 FUNCTION: Start/Cancel/Reheat/Defrost;  
 Temperature selection:  
 1-6 levels for various browning;

**Electric kettle:**  
 Body material:304 food grade stainless steel  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/PSE/KC/SAA/VDE Plug;

**ZOS-BRS1220 Series breakfast set**

**2 Slices Electric Toaster:**  
 Body Material: Front Housing 430SS  
 Side Panel: Galvanized sheet with color painted  
 FUNCTION: Start/Cancel/Reheat/Defrost;  
 Temperature selection:  
 1-6 levels for various browning;

**Electric kettle:**  
 Body material:304 food grade stainless steel  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/PSE/KC/SAA/VDE Plug;



**ZOS-BRS1216 Series breakfast set**

**2 Slices Electric Toaster:**  
 Body Material: Front Housing 430SS  
 Side Panel: Galvanized sheet with color painted  
 FUNCTION: Start/Cancel/Reheat/Defrost;  
 Temperature selection:  
 1-6 levels for various browning;

**Electric kettle:**  
 Body material:304 food grade stainless steel  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/PSE/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Rated Power	Rated Voltage
ZOS-8501	2 slices electric toaster	-	1000/1200W/230V	1700-815W
ZOS-0101	Electric kettle	1.7L	1500W/120V/230V	1600W/1100W
ZOS-1100	Electric kettle	1.7L	1000W/120V/230V	1500W/1150-1200W
ZOS-1216	Electric kettle	1.7L	1500W/120V/230V	1600W/1150-1200W

# Stainless Steel Electric Kettle Collection

## Part Two

Retro Style/Dom/Jug shape  
 Goose neck/Double wall design





**o ZOS-0110 Coffee kettle**

- +Gooseneck mouth for coffee pouring;
- +304 food grade stainless steel body with wooden pasted;
- +Full 304 Stainless steel Pull up lid;
- +Auto shut off when boiled and boil dry protection
- +360° rotational power base;

Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/PSE/KC/SAA/VDE Plug;

**ZOS-0110A Coffee kettle o**

- +Gooseneck mouth for coffee pouring;
- +304 food grade stainless steel body with wooden pasted;
- +Full 304 Stainless steel Pull up lid;
- +Auto shut off when boiled and boil dry protection
- +360° rotational power base;

Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/PSE/KC/SAA/VDE Plug;



**o ZOS-0110E Temperature controlling Function Coffee kettle**

- +Gooseneck mouth with Electronic controlling panel;
  - +Temperature adjustable(0-100.6 selection of temperature)
  - +304 Food grade stainless steel body;
  - +Full 304 Stainless steel Pull up lid;
  - +304 Concealed heating plate for easy cleaning
  - +Auto shut off and boil dry protection
- Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/PSE/KC/SAA/VDE Plug;



MODEL	Product type	Capacity	Rated Power	Rated Power
ZOS-0110	Electric kettle	1.7L	1800W/210V/230V	1000W/100V-120V
ZOS-0110A	Electric kettle	1.7L	1800W/210V/230V	1000W/100V-120V
ZOS-0110E	Electric kettle	1.7L	300W/120V/230V	1000W/100V-120V



**o ZOS-1216D Retro stainless steel kettle**

- +304 food grade stainless steel body;
- +Full 304 Stainless steel Pull up lid;
- +304 Concealed heating plate for easy cleaning;
- +Auto shut off and boil dry protection;
- +W/large water gauge with blue illumination;
- +360° rotational power base with chromed decoration;

Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/KC/SAA/VDE Plug;

**ZOS-1216D Retro stainless steel kettle o**

- +304 food grade stainless steel body;
  - +Full 304 Stainless steel Pull up lid;
  - +304 Concealed heating plate for easy cleaning;
  - +Auto shut off and boil dry protection;
  - +W/large water gauge with blue illumination;
  - +360° rotational power base with chromed decoration;
- Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/KC/SAA/VDE Plug;



**o ZOS-1220 Retro stainless steel kettle**

- +304 food grade stainless steel body;
  - +Full 304 Stainless steel Pull up lid;
  - +304 Concealed heating plate for easy cleaning;
  - +Auto shut off and boil dry protection;
  - +W/large water gauge with blue illumination;
  - +360° rotational power base with chromed decoration;
- Temperature Controller:  
Chinese or British controller;  
Power cord:  
UL/BS/KC/SAA/VDE Plug;



MODEL	Product type	Capacity	Rated Power	Rated Power
ZOS-1216D	Retro stainless steel kettle	1.7L	1000W/100V-120V	1000W/100V-120V
ZOS-1220	Retro stainless steel kettle	1.7L	1000W/100V-120V	1000W/100V-120V



**ZOS-0231**  
Retro stainless steel kettle

- +304 Stainless steel body;
- +Full 304 stainless pull up lid ;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid open-handle
- +360°rotational power base with chromed decoration;
- +Uniqe designed switch;
- Temperature controller;
- Chinese or British controllers
- Power cord:UL/BS/KC/SAA/VDE Plug;

**ZOS-0231M**  
Retro stainless steel kettle

- +304 Stainless steel body;
- +Full 304 stainless pull up lid ;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid open-handle
- +360°rotational power base with chromed decoration;
- +Uniqe designed switch;
- +With Meter Display;
- Temperature controller;
- Chinese or British controllers
- Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-0231M**  
Retro stainless steel kettle

- +304 Stainless steel body;
- +Full 304 stainless pull up lid ;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid open-handle
- +360°rotational power base with chromed decoration;
- +Uniqe designed switch;
- +With Meter Display;
- Temperature controller;
- Chinese or British controllers
- Power cord:UL/BS/KC/SAA/VDE Plug;



MODEL	Volume (L)	Capacity	Rated Power	Rated Power
ZOS-0231	Electric kettle	1.7 Liter	220-240V	1850-2200W
ZOS-0231M	Electric kettle	1.7 Liter	220-240V	1850-2200W

**ZOS-1229**  
Drum shape electric kettle

- +304 Stainless steel body;
- +Full stainless Pull up lid;
- +Concealed element for easy cleaning;
- +Fully automatic shut-off when boiled;
- +Boil dry protection;
- +Soft touch handle;
- +360° rotational power base with cord storage;
- Indicator light;

Optional controller&power cord



**ZOS-1228**  
Drum shape electric kettle

- +304 Stainless steel body with color painted;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +New PP with Soft touch handle;
- +Full 304 stainless pull up lid W/filter
- +360°rotational power base with cord storage;

Copper plug (3\*0.75\*0.80M full length);  
Controller:Chinese controller



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-1229	Drum shape kettle	1.7 Liter	220-240V	1850-2200W
ZOS-1228	Drum shape kettle	1.7 Liter	220-240V	1850-2200W



**ZOS-118C**  
**Electric kettle with water window**

- 304 OR 201 Food grade stainless steel body;
- W/Full stainless steel Auto open lid ;
- Concealed element for easy cleaning;
- Auto shut-off and Boil dry protection;
- Water window with blue illumination;
- Indicate lights while boiling;
- 360°rotational power base ;

Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-0227**  
**Electric stainless steel kettle**

- 201/304 Stainless steel body;
- Pull up stainless steel inner lid;
- Auto shut-off when boiled and Boil dry protection;
- Solid close-handle
- 360°rotational power base
- With indicate light;

Temperature controller:  
 Chinese or British controllers  
 Power cord:VDE Plug;

**ZOS-118BC**  
**Electric kettle with water window**

- 304 OR 201 Food grade stainless steel body;
- W/Full stainless steel Auto open lid ;
- Concealed element for easy cleaning;
- Auto shut-off and Boil dry protection;
- Water window with blue illumination;
- Indicate lights while boiling;
- 360°rotational power base ;

Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-0227C**  
**Electric kettle with water window**

- 201/304 Stainless steel body;
- Pull up stainless steel inner lid;
- Auto shut-off when boiled and Boil dry protection;
- Solid close-handle
- 360°rotational power base
- Water window with blue illumination;

Temperature controller:  
 Chinese or British controllers  
 Power cord:VDE Plug;



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-118C	Kettle with water window	1.7 Liter	220-240V	1850-2200W
ZOS-118BC	Kettle with water window	1.7 Liter	220-240V	1850-2200W

MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-0227	Electric kettle	1.8 Liter	220-240V	1500W
ZOS-0227C	Kettle with water window	1.8 Liter	220-240V	1500W





**ZOS-0112A**  
**Electric kettle with Rear water gauge**

- 304 OR 201 Food grade stainless steel body;
- W/Full stainless steel Auto open lid ;
- Auto shut-off when boiled and Boil-dry protection;
- W/Rear water gauge;
- Indicate lights while boiling;
- 360°rotational power base ;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;

**ZOS-0112BA**  
**Electric kettle with Rear water gauge**

- 304 OR 201 Food grade stainless steel body;
- W/Auto open lid ;
- Auto shut-off and Boil dry protection;
- W/Rear water gauge;
- Indicate lights while boiling;
- 360°rotational power base ;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-H002**  
**Electric stainless steel kettle**

- 201/304 Stainless steel body;
  - Plastic pull up lid;
  - Concealed element for easy cleaning;
  - 360° rotatory base;
  - Auto shut-off and when boiled and Boil-dry protection;
  - Solid open-handle;
  - 360° Rotational power base;
- Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;



MODEL	Capacity	Power	Rated Power	Rated Power
ZOS-0112A	1.2Litre	1000-1500W	100W/150W/250W	1000-1500W
ZOS-0112BA	1.5Litre	1000-1500W	100W/150W/250W	1000-1500W
ZOS-H002	1.8Litre	1000-1500W	200-240W	1000-1500W



**ZOS-133**  
**Electric double wall kettle**

- 201/304 Stainless steel body wrapped with plastic enclosure;
  - Plastic pull-up lid with stainless steel inner lid;
  - Concealed element for easy cleaning;
  - Auto shut-off when boiled and Boil-dry protection;
  - Solid close-handle with water window;
  - 360°rotational power base ;
- Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;

**ZOS-D0106**  
**Electric double wall kettle**

- 201/304 Stainless steel body wrapped with plastic enclosure;
  - Plastic pull up lid with stainless steel inner lid;
  - Concealed element for easy cleaning;
  - Auto shut-off when boiled and Boil-dry protection;
  - Solid close-handle;
  - 360° rotational power base ;
- Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-D0106E** **Double wall kettle with keep warm function**

- 201/304 SS body wrapped with plastic enclosure;
  - Double-wall design for Auto keep warm function;
  - Pull-up lid W/stainless steel inner cover;
  - Concealed element for easy cleaning;
  - Touch panel for temperature adjustment;
  - Digital adjustable temperature 45,65,85,100 and auto plus+ or Minus-;
  - 360°rotational power base with cord storage;
  - Indicator light;
  - Solid close-handle;
- Controller: Chinese or British controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;



MODEL	Capacity	Power	Rated Power	Rated Power
ZOS-133	Double wall kettle	1000-1500W	200-240W	1000W
ZOS-D0106	Double wall kettle	1000-1500W	100-150W	1000W
ZOS-D0106E	Double wall kettle	1000-1500W	100-240W	1500W



**ZOS-136**  
**Electric Double-wall kettle**

- 304 OR 201 Food grade stainless steel body;
- W/Wrap with Plastic cover ;
- Auto shut-off and Boil dry protection;
- Indicate lights while boiling;
- 360°rotational power base ;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SA/VDE Plug.

**ZOS-D0101**  
**Electric Double-wall kettle**

- 304 OR 201 Food grade stainless steel body wrap with plastic enclosure;
- W/Auto open lid ;
- Auto shut-off and Boil dry protection;
- W/Rear water gauge
- Indicate lights while boiling;
- 360°rotational power base;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SA/VDE Plug;



**ZOS-D0104**  
**Electric Double-wall kettle**

- 201 Stainless steel body wrap with plastic enclosure;
- Plastic pull up lid;
- Concealed element for easy cleaning
- 360° rotatory base;
- Auto shut-off and when boiled and Boil-dry protection;
- Solid open-handle
- 360° Rotational power base;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SA/VDE Plug.



MODEL	Capacity	Color	Rated Volt	Rated Power
ZOS-136	Double-wall kettle	1.0Litre	220-240V	1600-1300W
ZOS-D0101	Double-wall kettle	1.7 Liter	220-240V	1850-2000W
ZOS-D0104	Double-wall kettle	1.7 Liter	220-240V	1800W



**ZOS-0231A**  
**Drum shape electric kettle**

- 304 OR 201 Food grade stainless steel body;
- W/Auto open lid ;
- Auto shut-off and water filter and Boil dry protection;
- W/Rear water window;
- Concealed element for easy cleaning;
- Indicate lights while boiling;
- 360°rotational power base with chromed decoration;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/BS/KC/SA/VDE Plug;

**ZOS-0231AM**  
**Electric kettle with temperature meter**

- 201/304 Stainless steel body with color painted;
- Auto open lid W/filter;
- Pull up stainless steel inner lid;
- Concealed element for easy cleaning;
- Auto shut-off when boiled and Boil dry protection;
- With temperature meter;
- Solid close-handle
- 360°rotational power base with color storage;

Temperature controller:  
Chinese or British controllers  
Power cord:UL/KC/SA/VDE Plug;



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-0231	Drum shape Kettle	1.7 Liter	220-240V	1850-2000W
ZOS-0231AM	Drum shape kettle	1.7 Liter	220-240V	1850-2000W



**ZOS-1218**  
**Dom shape electric kettle**

- 304 Food grade stainless steel body;
- 304 Food grade stainless PULL UP lid;
- Auto shut-off when boiled and Boil-dry protection;
- W/Rear water window;
- Concealed element for easy cleaning;
- 360°rotational power base with chromed decoration;

Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/KC/SAA/VDE Plug;



**ZOS-FTK01**  
**Portable Folding kettle**

- 304 Stainless steel inner body,wrapped with PP;
- Pull up lid with Stainless steel inner cover;
- Keep warm function;
- Auto shut-off and boil-dry protection;
- Multi function cooking;
- VDE copper plug (3\*0.5\*0.80m full length)
- Large anti-scalding handle
- Blue LED indicator light on switch;
- Removable power cord:  
 easy carry ,suitable for travel use.

Power cord: UL/VDE/BS/PSE Plug;  
 Package Size: L500xW500XH395(36 in One);  
 Loading 20FT/40HQ: 10080PCS/24480PCS

**ZOS-1218M** **Electric kettle with temperature meter**

- 304 Stainless steel body with color painted;
- Full 304 Stainless steel Pull up lid ;
- Concealed element for easy cleaning;
- W/ rear water gauge;
- Solid fixed handle no winging;
- 360°rotational power base with cord storage
- Blue LED Indicator light on Switch;

Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/KC/SAA/VDE Plug;



**ZOS-FTK02**  
**Portable Folding kettle**

- 304 Stainless steel inner body,wrapped with PP;
- Pull up lid with Stainless steel inner cover;
- Keep warm function;
- Auto shut-off and boil-dry protection;
- Multi function cooking;
- VDE copper plug (3\*0.5\*0.80m full length)
- Large anti-scalding handle
- Blue LED indicator light on switch;
- Removable power cord:  
 easy carry ,suitable for travel use;

Power cord: UL/VDE/BS/PSE Plug,  
 Package Size: L500xW500XH510(36 in One);  
 Loading 20FT/40HQ: 7740PCS/19080PCS



MODEL	Product type	Capacity	Rated Power	Rated Power
ZOS-1218	Dom shape kettle	1.7 Liter	220-240V	1860-2200W
ZOS-1218M	Electric kettle	1.7 Liter	220-240V	1860-2200W

MODEL	Product type	Capacity	Rated Power	Rated Power
ZOS-FTK01	Portable Folding kettle	0.6Liter	220-240V	660-700W
ZOS-FTK02	Portable Folding kettle	0.6Liter	220-240V	660-700W

# Hotel service or Home used Tea-tray collection

## Part Three

Welcome tea tray

### • ZOS- TC01 Electric Ceramic kettle



High Quality Traditional Chinese Ceramic Kettle body with customerize printing design

- 304 OR 201 Food grade stainless steel heating plate;
- Auto shut-off and Boil dry protection;
- Indicate lights while boiling;
- 360°rotational power base with chromed decoration;

Temperature controller:  
Chinese CE standard controllers  
Power cord:UL/KC/SAA/VDE Plug;

### ZOS-TC04 Electric Ceramic kettle •

High Quality Traditional Chinese Ceramic Kettle body with customerize printing design

- 304 OR 201 Food grade stainless steel heating plate;
- Auto shut-off and Boil dry protection;
- Indicate lights while boiling;
- 360°rotational power base with chromed decoration;

Temperature controller:  
Chinese CE standard controllers  
Power cord UL/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Rated Voltage	Rated Power
ZOS-TC01	Electric Ceramic kettle	1.2 Liter	100V/120V/230V	900W/1350-1500W
ZOS-TC04	Electric Ceramic kettle	1.5 Liter	100V/120V/230V	1000W/1500W



**ZOS-TTAH001 Hotel use  
Welcome Tea Tray**

ABS finished plastic Tea tray for coffee or tea services  
 +304 OR 201 Food grade stainless steel  
 +Auto shut-off and Boil dry protection  
 +With 2 cups for option;  
 +360° rotational power base

Temperature controller:  
 Chinese-CE standard controllers  
 Power cord:UL/KC/SAA/VDE Plug;

**ZOS-TTA136 Hotel use  
Welcome Tea Tray**

ABS finished plastic Tea tray for coffee or tea services With 2 cups for option  
 +304 Stainless steel body wrapped with plastic enclosure;  
 +Plastic pull up lid with stainless steel inner lid  
 +Concealed element for easy cleaning;  
 +Auto shut-off when boiled and Boil dry protection;  
 +Solid close-handle,  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-TTAH002 Hotel use  
Welcome Tea Tray**

+201/304 full sandy polished Stainless steel body;  
 +Pull up lid with Stainless steel inner cover;  
 +Concealed element for easy cleaning  
 +360° rotatory base;  
 +Auto shut-off and and Boil-dry protection;  
 +Water-mark inside;

Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;



MODEL	Product type	Capacity	Rated Power	Rated Temp
ZOS-TTAH001	Electric kettle	1.8 Liter	1800V/1500W/1500W	125°-150°℃
ZOS-TTA136	Electric kettle	1.8 Liter	1800V/1500W	120°-140°℃
ZOS-TTAH002	Electric kettle	1.8 Liter	1800V/1500W	120°-150°℃



**ZOS-TTA133 Hotel use  
Welcome Tea Tray**

+201/304 Stainless steel body wrapped with plastic enclosure;  
 +Plastic pull up lid with stainless steel inner lid;  
 +Concealed element for easy cleaning;  
 +Auto shut-off when boiled and Boil dry protection;  
 +Solid close-handle;  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;

**ZOS-TTA208A Hotel use  
Welcome Tea Tray**

+201/304 Stainless steel body;  
 +Plastic lid up lid with stainless steel inner lid;  
 +Auto shut-off when boiled and Boil dry protection;  
 +360° rotational power base ;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/SAA/VDE Plug;



**ZOS-TTA0225 Hotel use  
Welcome Tea Tray**

+201 Stainless steel body ;  
 +Plastic pull up lid with stainless steel inner lid;  
 +Auto shut-off when boiled and Boil dry protection;  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/KC/SAA/VDE Plug;



MODEL	Product type	Capacity	Rated Power	Rated Temp
ZOS-TTA133	Electric kettle	1.8 Liter	1800V/1500W	120°-140°℃
ZOS-TTA208A	Electric kettle	1.8 Liter	1800V/1500W	120°-150°℃
ZOS-TTA0225	Electric kettle	1.7 Liter	1800V/1500W	120°-150°℃



**o ZOS-TTA138 Hotel use  
Welcome Tea Tray**

- +201/304 Stainless steel body wrapped with plastic enclosure;
- +Plastic pull up lid with stainless steel inner lid;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid close-handle;
- +360° rotational power base with chromed decoration;
- Temperature controller
- Chinese or British controllers
- Power card UL/BS/KC/SAA/VDE Plug.

**o ZOS-TTBH001 Hotel use  
Welcome Tea Tray**

- ABS finished plastic Tea tray for coffee or tea services With 2 cups for option
- +201/304 Stainless steel body;
  - +Plastic pull up lid with stainless steel inner
  - +Concealed element for easy cleaning;
  - +Auto shut-off when boiled and Boil dry protection;
  - +Solid close-handle;
  - +360° rotational power base with chromed decoration;
  - Temperature controller;
  - Chinese or British controllers
  - Power card:UL/BS/KC/SAA/VDE Plug.



**o ZOS-TTB136 Hotel use  
Welcome Tea Tray**

- ABS finished plastic Tea tray for coffee or tea services With 2 cups for option
- +304 Stainless steel body wrapped with plastic enclosure;
  - +Plastic pull up lid with stainless steel inner lid;
  - +Concealed element for easy cleaning;
  - +Auto shut-off when boiled and Boil dry protection;
  - +Solid close-handle;
  - +360° rotational power base with chromed decoration;
  - Temperature controller;
  - Chinese or British controllers
  - Power card:UL/BS/KC/SAA/VDE Plug.



MODEL	Product Code	Capacity	Rated Power	Rated Voltage
ZOS-TTA138	201304SS	1.8L/60oz	1200-1400W	100V-1500V
ZOS-TTBH001	ABS	1.8L/60oz	1200-1400W	100V-1500V
ZOS-TTB136	304SS	1.8L/60oz	1200-1400W	100V-1500V



**o ZOS-TTB138 Hotel use  
Welcome Tea Tray**

- +201/304 Stainless steel body wrapped with plastic enclosure;
- +Plastic pull up lid with stainless steel inner lid;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid close-handle;
- +360° rotational power base with chromed decoration;
- Temperature controller;
- Chinese or British controllers
- Power card UL/BS/KC/SAA/VDE Plug.

**o ZOS-TTBH002 Hotel use  
Welcome Tea Tray**

- +201/304 full sandy polished Stainless steel body;
- +Pull up lid with Stainless steel inner cover;
- +Concealed element for easy cleaning;
- +360° rotary base;
- +Auto shut-off and and Boil-dry protection;
- +Water mark inside;

Temperature controller  
Chinese or British controllers  
Power card:UL/BS/KC/SAA/VDE Plug;



**o ZOS-TTB133 Hotel use  
Welcome Tea Tray**

- +201/304 Stainless steel body wrapped with plastic enclosure;
- +Plastic pull up lid with stainless steel inner lid;
- +Concealed element for easy cleaning;
- +Auto shut-off when boiled and Boil dry protection;
- +Solid close-handle;
- +360° rotational power base with chromed decoration;
- Temperature controller;
- Chinese or British controllers
- Power card:UL/BS/KC/SAA/VDE Plug;



MODEL	Product Code	Capacity	Rated Power	Rated Voltage
ZOS-TTB138	201304SS	1.8L/60oz	1200-1400W	100V-1500V
ZOS-TTBH002	ABS	1.8L/60oz	1200-1400W	100V-1500V
ZOS-TTB133	304SS	1.8L/60oz	1200-1400W	100V-1500V



**ZOS-GTTA0205**  
Family used Glass Tray Set

- 201 Sandy polished ss body brushed;
  - Glass Tea Tray(keep warm function 45-65 degree);
  - Auto switch off and boil-dry and Overheating protection;
  - With High Boron glass jar;
  - Pull up lid with stainless steel inner cover. Water mark inside.
- Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE Alum&copper Plug

**ZOS-GTTA0208**  
Family used Glass Tray Set

- 304 Sandy polished SS body(black color painted);
  - Glass Tea Tray(keep warm function 45-65 degree);
  - Auto switch off and boil-dry and Overheating protection;
  - With High-Boron glass jar;
  - Pull up lid with stainless steel inner cover.
  - Water mark inside.
- Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug



**ZOS-GTTA8L001**  
Family used Glass Tray Set

- High boron glass kettle with 304 SS heating plate;
  - Glass Tea Tray(keep warm function 45-65 degree);
  - Auto switch off and boil-dry and Overheating protection;
  - With 1.2L High Boron glass jar;
  - Pull up lid with stainless steel inner cover;
  - Water mark;
- Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug



MODEL	Tea Tray	Capacity	Voltage	Rated Power
ZOS-GTTA0205	Electric kettle	1.8 Liter	220-240V	1500W
ZOS-GTTA0208	Electric kettle	1.8 Liter	220-240V	1500W/1500W
ZOS-GTTA8L001	Electric kettle	1.7 Liter	220-240V	1500W



**ZOS-GTTB1123A**  
Family used Glass Tray Set

- 304 Sandy polished ss body brushed;
- Digital Glass Tea Tray
- With Temperature adjustable function (45-65 degree each time);
- Auto switch off and boil-dry and Overheating protection;
- With 1.2L High Boron glass jar;
- Auto open lid;
- With side water window

Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug

**ZOS-GTTB0116**  
Family used Glass Tray Set

- 304 Sandy polished ss body with color painted;
  - Glass Tea Tray(keep warm function 45-65 degree);
  - Auto switch off and boil-dry and Overheating protection;
  - With 1.2L High Boron glass jar;
  - Pull up lid with stainless steel inner cover. Water mark inside.
- Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE Alum&copper Plug



**ZOS-GTTB1136** Family used Glass Tray Set with double Wall Wrap electric kettle

- 304 Stainless steel;
  - Glass Tea Tray(keep warm function 45-65 degree);
  - Auto switch off and boil-dry and Overheating protection;
  - With 1.2L High-Boron glass jar;
  - Pull up lid with stainless steel inner cover. Water mark inside.
- Temperature controller:  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug



MODEL	Tea Tray	Capacity	Voltage	Rated Power
ZOS-GTTB1123A	Electric kettle	1.2 Liter	220-240V	1500W
ZOS-GTTB0116	Electric kettle	1.2 Liter	220-240V	1500W/1500W
ZOS-GTTB1136	Electric kettle	1.2 Liter	220-240V	1500W/1500W



**o ZOS-GTTB0231A Family used Digital Glass Tray Set**

- 304 Sandy polished SS body (black color painted);
- Digital Glass Tea Tray
- With Temperature adjustable function (45-65 degree each time);
- Auto switch off and boil-dry and Overheating protection;
- With 1.2L High Boron glass jar;
- Auto open lid and water filter;
- With rear water window;
- Chinese controllers(CE Standard)
- Power cord: VDE copper Plug

**o ZOS-GTTC131 Family used Digital Glass Tray Set**

- Coffee or tea services
- 304 Stainless steel body;
  - Plastic pull up lid with stainless steel inner lid;
  - Concealed element for easy cleaning;
  - Auto shut-off when boiled and Boil dry protection;
  - Solid close-handle;
  - 360° rotational power base with chromed decoration;
  - Temperature controller
  - Chinese controllers
  - Power cord:VDE Plug;



**o ZOS-GTTC136 Family used Digital Glass Tray Set**

- Stainless steel body wrapped with plastic enclosure;
- Plastic pull up lid with stainless steel inner lid;
- Concealed element for easy cleaning;
- Auto shut-off when boiled and Boil dry protection;
- Solid close-handle;
- 360° rotational power base with chromed decoration;
- Temperature controller;
- Chinese or British controllers
- Power cord:VDE Plug;



MODEL	Product name	Capacity	Input Voltage	Rated Power
ZOS-GTTB0231A	Electric kettle	1.2 Liter	220V-240V	1450-2000W
ZOS-GTTC131	Electric kettle	1.2 Liter	220V-240V	1500W
ZOS-GTTC136	Electric kettle	1.2 Liter	220V-240V	1600-1300W



**o ZOS-GTTA0227 Family used Glass Tray Set**

- 304 Sandy polished SS body brushed;
- Glass Tea Tray(keep warm function 45-65 degree);
- Auto switch off and boil-dry and Overheating protection;
- With High Boron glass jar;
- Pull up lid with stainless steel inner cover

Temperature controller  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug

**o ZOS-GTTA0227C Hotel use Welcome Tea Tray**

- 304 Sandy polished SS body brushed;
- Glass Tea Tray(keep warm function 45-65 degree);
- Auto switch off and boil-dry and Overheating protection;
- With High Boron glass jar;
- Pull up lid with stainless steel inner cover
- With Water window

Temperature controller;  
Chinese controllers(CE Standard)  
Power cord: VDE copper Plug



MODEL	Product name	Capacity	Rated Power	Rated Voltage
ZOS-GTTA0227	Electric kettle	1.2 Liter	1450-2000W	220V-240V
ZOS-GTTA0227C	Electric kettle	1.2 Liter	1500-1300W	220V





**ZOS-TTMH001**  
**5 STAR Hotel use Welcome Tea Tray**

Melamine Tea tray for coffee or tea services with tea bag tray and cup tray  
 +304 OR 201 Food grade stainless steel;  
 +Auto shut-off and Boil dry protection;  
 +With 2 cups for option;  
 +360° rotational power base

Temperature controller:  
 Chinese CE standard controllers  
 Power cord:UL/KC/5AA/VDE Plug;

**ZOS-TTM136**  
**5 STAR Hotel use Welcome Tea Tray**

Melamine Tea tray for coffee or tea services with tea bag tray and cup tray  
 +304 Stainless Steel body wrapped with plastic enclosure;  
 +Plastic pull up lid with stainless steel inner lid;  
 +Concealed element for easy cleaning;  
 +Auto shut-off when boiled and Boil dry protection;  
 +Solid close-handle;  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/5AA/VDE Plug;



**ZOS-TTMH002**  
**5 STAR Hotel use Welcome Tea Tray**

Melamine Tea tray for coffee or tea services with tea bag tray and cup tray  
 +201/304 full sandy polished Stainless steel body;  
 +Pull up lid with Stainless steel inner cover;  
 +Concealed element for easy cleaning;  
 +360° rotatory base;  
 +Auto shut-off and Boil-dry protection;  
 +Water mark inside;  
 Temperature controller:  
 Chinese or British controllers  
 Power cord:UL/BS/KC/5AA/VDE Plug;



MODEL	Material	Capacity	Rated Volt	Rated Power
ZOS-TTMH001	Stainless steel	1.2 Liter	100/110V/230V	1350-1500W
ZOS-TTM136	Black melamine	1.2 Liter	100-230V	1000-1500W
ZOS-TTMH002	Black melamine	1.0 Liter	220-230V	1000W



**ZOS-TTM132**  
**5 STAR Hotel use Welcome Tea Tray**

Melamine Tea tray for coffee or tea services with tea bag tray and cup tray  
 +304 Stainless steel body wrapped with plastic cover;  
 +Plastic pull up lid with stainless steel inner lid;  
 +Concealed element for easy cleaning;  
 +Auto shut-off when boiled and Boil dry protection;  
 +Solid close-handle;  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese or controllers(CE stand);  
 Power cord:UL/BS/KC/5AA/VDE Plug;

**ZOS-TTM138**  
**5 STAR Hotel use Welcome Tea Tray**

Melamine Tea tray for coffee or tea services with tea bag tray and cup tray  
 +201/304 Stainless steel body wrapped with plastic cover;  
 +Plastic pull up lid with stainless steel inner lid;  
 +Concealed element for easy cleaning;  
 +Auto shut-off when boiled and Boil dry protection;  
 +Solid close-handle;  
 +360° rotational power base with chromed decoration;  
 Temperature controller:  
 Chinese controllers(CE stand);  
 Power cord:UL/BS/KC/5AA/VDE Plug;



MODEL	Material	Capacity	Rated Volt	Rated Power
ZOS-TTM132	Black melamine	1.2 Liter	100-230V	1000W
ZOS-TTM138	Black melamine	1.0 Liter	100-230V	1000W

# High Borosilicate Glass Electric Kettle Series

## Part Four

Electric Glass Kettle



### ZOS-BL001 Electric Glass Kettle



High Quality Boran Glass;

- 304 Food grade stainless steel heating plate;
- Auto shut-off when boiled and Boil dry protection;
- Plastic pull up lid with stainless steel inner lid;
- 360 Degree blue illuminating;
- 360° rotational power base;

Temperature controller;  
Chinese CE standard controllers;  
Power cord:UL/KC/SAA/VDE Plug;

### ZOS-BL003 Electric Glass Kettle

High Quality Boran Glass;

- 304 OR 201 Food grade stainless steel heating plate;
- Auto shut-off when boiled and Boil dry protection;
- Plastic pull up lid with stainless steel inner lid;
- 360 Degree blue illuminating;
- 360° rotational power base;

Temperature controller;  
Chinese CE standard controllers;  
Power cord:UL/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Voltage	Rated Power
ZOS-BL001	Electric kettle	1.7Liter	220-240V	1500W
ZOS-BL003	Electric kettle	1.7 Liter	220-240V	1500W



• **ZOS-BL004A Electric Glass Kettle**

- 201/304 Stainless steel heating plate;
- High boroshilicate glass and new PP;
- 360° rotatory power base with chromed decoration;
- Auto shut-off and Boil dry protection;
- Pull up lid with stainless steel inner lid;
- With LED illuminating lighting 360 degree;
- W/Polyform anti-fragile packing;

Temperature controller:  
Chinese controllers;  
Power cord:  
UL/KC/SAA/VDE Plug;

**ZOS-BL008 Electric Glass Kettle** •

- 304 Stainless steel heating plate;
- High boroshilicate glass kettle body;
- 360° rotatory;
- Auto shut-off and Boil dry protection;
- Pull up lid;
- With LED illuminating lights 360 degree reflection;
- 360 degree;
- W/Polyform anti-fragile packing;

Temperature controller:  
Chinese or British controllers;  
Power cord:UL/BS/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-BL004A	Electric glass kettle	1.8Liter	220-240V	1500W
ZOS-BL008	Electric glass kettle	1.8 Liter	220-240V	1500/1850-2200W

# 3 in 1 Trukish Double layer Electric Kettle

## Part Five



# Electric Food Cooking Appliances Collection

## Part Six



### o ZOS-TL001 Tea maker with keep warm function

- +Keep warm function with adjustable knob from 60-80 degrees;
- +304 Food grade stainless steel body;
- +304 Pull-up lid;
- +Auto shut-off when boiled and Boil dry protection;
- +360° rotational power base

Temperature controller:  
Chinese controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;

### o ZOS-TLB003 Tea maker with keep warm function

- +Keep warm function with adjustable knob from 60-80 degrees;
- +304 Food grade stainless steel body;
- +304 Pull-up lid;
- +Auto shut-off when boiled and Boil dry protection;
- +360° rotational power base

Temperature controller:  
Chinese controllers  
Power cord:UL/BS/KC/SAA/VDE Plug;



### o ZOS-TL008 Glass Tea maker with Keep Warm function

- +Large kettle 1.8L+1.2L Tea container;
- +Full 304 heating plate and high boros-glass body;
- +1 smaller glass tea container;
- +W/upper switch auto-shut-off after boiling;
- +Keep warm function ;
- +1xTEA STRAINERS(304 stainless steel);

Temperature controller:  
Chinese or British controllers;  
Power cord:UL/KC/SAA/VDE Plug;



MODEL	Program	Capacity	Rate Power	Rated Power
ZOS-TL001	Tea maker kettle	1.8+0.8 liter	100W/120V/230V	1000W/1850-2200W
ZOS-TLB003	Tea maker kettle	1.5+0.8 liter	100W/120V/230V	1000W/1850-2200W
ZOS-TL008	Tea maker kettle	1.8+1.2 liter	100W/120V/230V	1000W/1850-2200W

## Electric Toaster 2 Slices Collection



### ZOS-TS01 2 Slice electric toaster

Rated power: 100V/120V/230V;  
700-800W;

•Extra wide slots for bagels and English muffins(140\*36\*125);

Body Material: Front Housing 430SS,  
Side Panel: Galvanized sheet with color;  
FUNCTION: Start/Cancel/Reheat/Defrost;  
Variable electronic browning control  
1-6 level;

Accessories:  
•Slide out crumb tray easy to be cleaned;  
•Anti-slip rubber feet.

Power cord:UL/BS/PSE/KC/SAA/VDE Plug;



## Electric Toaster 2 Slices Collection



### ZOS-TS03 2 Slice electric toaster

Rated power: 100V/120V/230V;  
600-700W;

•Extra wide slots for bagels and English muffins(140\*36\*125);  
Plastic cover in different color;  
FUNCTION: Variable electronic browning control  
1-6 level;  
Automatic shut off and level up function;

Accessories:  
•Slide out crumb tray easy to be cleaned;  
Power cord:UL/BS/PSE/KC/SAA/VDE Plug;



## Electric Toaster 4 Slices Collection



### ZOS-TS02 4 Slice electric toaster

Rated power: 220V-240V/1300-1600W;

Body Material: Front Housing 430SS;

Heating:

•Variable electronic browning control

•1-6 level;

FUNCTION:

•Start/Cancel/Reheat/Defrost;

•Automatic pop-up

ASSY:

•Slide out crumb tray easy to be cleaned;

•Anti-slip rubber feet;

Safe Protection:Boiled-dry protection;

Power cord:VDE Copper Plug;



## Oil Free Electric Air Fryer Part Seven



### ◉ ZOS-AF01 Electric Air Fryer



- Matt finishing housing with Mechanical knob easy control;
- Multi-functional unit-fries,bakes,grills and roasts
  - Timer:max 60mins, automatically shut off with ready bell ring for reminding;
  - Heaters:201 or 304 Stainless Steel Heaters 4 circles;
  - Temperature:adjustable from 80°C to 200°C
  - Power indicate lighting;
  - Basket coated with food contact LFGB/FDA standard non-stick coating;
  - Copper wire fan motor;

Temperature controller:  
Chinese controllers;  
Power cord:  
UL/BS/KC/SAA/VDE Plug;

### ZOS-AF02 Electric Air Fryer ◉

- SHINNING finishing housing with Mechanical knob easy control;
- Multi-functional unit-fries,bakes,grills and roasts;
  - Timer:max 60mins, automatically shut off with ready bell ring for reminding;
  - Heaters:201 or 304 Stainless Steel Heaters 4 circles;
  - Temperature:adjustable from 80°C to 200°C
  - Power indicate Lighting;
  - Basket coated with food contact LFGB/FDA standard non-stick coating;
  - Copper wire fan motor;

Temperature controller:  
Chinese controllers;  
Power cord:  
UL/BS/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Rated Power	Stand Power
ZOS-AF01	Electric air Fryer	5.0 Liter	1100/230V	1088-1200W
ZOS-AF02	Electric air Fryer	5.0 Liter	1100/230V	1088-1200W

### ◉ ZOS-AF03E Electric Air Fryer



- High Gloss finishing housing with Digital control and visual basket;
- Auto cooking - chicken, chips, Beef, Pork up to 8-10 menu;
  - Timer:Digital controlling and display;
  - Heaters:201 or 304 Stainless Steel Heaters 4 circles;
  - Temperature:adjustable from 80°C to 200°C
  - Power indicate Lighting;
  - Touch panel for easy cooking;
  - Copper wire fan motor;

Power cord:  
UL/BS/KC/SAA/VDE Plug;

### ZOS-AF04 Electric Air Fryer ◉

- Shinning finishing housing with electronic control screen;
- Transparent Glass basket;
  - Multi-function unit,fries,bakes,grills and roasts
  - Transparent Glass basket
  - Timer:max 60mins, automatically shut off with ready bell ring for reminding;
  - Heating tube:quartz tube
  - Temperature:adjustable from 80°C to 200°C
  - Power indicate Lighting;
  - Touch panel for easy cooking;
  - Copper wire fan motor;

Power cord:  
UL/BS/KC/SAA/VDE Plug;



MODEL	Product name	Capacity	Rated Power	Stand Power
ZOS-AF03E	Electric air Fryer	5.0 Liter	1100/230V	1088-1200W
ZOS-AF04	Electric air Fryer	5.0 Liter	1100/230V	1088-1200W

• **ZOS-AF05 Electric Air Fryer**



High Gloss finishing housing with Mechanical knob easy control;

- Auto cooking - chicken, chips, Beef, Pork up to 8-10 menu;
- Timer: Max 30 min with ready bell ring for reminding;
- Heaters: 304 Stainless Steel Heaters 4 circles;
- Temperature:adjustable from 80°C to 200°C
- Power indicate Lighting;
- Basket coated with food contact LFGB/FDA standard;
- Non-stick coating of Teflon;
- Copper wire fan motor;

Power cord:  
UL/BS/KC/SAA/VDE Plug;

• **ZOS-AF06E Electric Air Fryer**



High Gloss finishing housing with Digital control;

- Capacity: 3.5L;
- Multi-functional unit - fries, bakes, grills and roasts
- Timer: max 60 min with ready bell ring for reminding;
- Heaters : 201 Stainless Steel Heaters 4 circles;
- Temperature: adjustable from 80°C to 200°C;
- Power indicate Lighting;
- Basket coated with food contact LFGB/FDA standard;
- non-stick coating of Teflon;
- Alum&Copper wire fan motor;

Power cord:  
VDE Copper plug;

**ZOS-AF06 Electric Air Fryer** •

High Gloss finishing housing with Mechanical knob easy control;

- Capacity: 3.5 L;
  - Power:110V/230V/ 1000-1200W;
  - Auto cooking - chicken, chips, Beef, Pork up to 8-10 menu
  - Timer: max 60 min with ready bell ring for reminding;
  - Heaters : 201 Stainless Steel Heaters 4 circles;
  - Temperature:  
adjustable from 80°C to 200°C;
  - Power indicate Lighting;
  - Basket coated with food contact LFGB/FDA standard;
  - Non-stick coating of Teflon;
  - Alum&Copper wire fan motor;
- Power cord:VDE plug 100% copper;



MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-AF05	Electric air fryer	2 Liter	110/230V	900-1200W
ZOS-AF06	Electric air fryer	3.5 Liter	110/230V	1000-1200W

MODEL	Product name	Capacity	Rated Power	Rated Power
ZOS-AF06E	Electric air fryer	3.5 Liter	110/230V	1000-1200W